



Band saw blades for soft and hard wood

Hardened tooth points bandsaw blade for bandsaws and portable sawmill.

Stock No.	Length mm	Thickness mm	Width mm	Tooth pitch mm	Price
208640102	2760	1.06	19	31	£38.60
208640128	4100	1.06	22	31	£32.40
208640144	4590	1.06	22	31	£35.30
208640169	5020	1.06	22	31	£37.80
208640185	5700	1.06	22	31	£41.80
208640201	3280	1.06	22	38	£41.80
208640300	4000	1.06	22	38	£48.60
208640409	4250	1.06	22	38	£50.80
208640508	4520	1.06	22	38	£53.30
208640607	4760	1.06	22	38	£55.80
208640706	5030	1.06	22	38	£58.00
208640805	5070	1.06	22	51	£74.90



Planing

Combined planer and thicknesser

Combined planer and thicknesser. Floor standing. The chassis and plane benches are manufactured from cast aluminium with slotted bench lips (quieter action). Well balanced plane cutter. Ready for connection to an extractor (thicknesser and planer), sleeve 100 mm.

Thicknesser The front planer bed is individually adjusted for various shaving thicknesses (using a screw spindle). Surface stop of alu section - adjustable from 90°-45°.

Planer Heavy duty, bearing mounted planing table, adjustable height via 4 screw spindles. Integrated adjustable chip hood. Automatic feed and equipped with reverse stroke block.

Supplied complete with motor, switch with zero voltage release, 2 adjustable cutters, adjustable directional dolly, shaving covers, floor stand and instruction book. Enclosure protection class IP 54.

A wheel frame equipped with wheels that can be raised and lowered is available as an accessory to allow ease of movement. Suitable planing bits, see 205560709 (page 620).

Stock no		205565906	205560204
Table length thicknesser	mm	1000	1000
Table length planer	mm	400	400
Table height	mm	840	840
Plane width jointer/planer	mm	260/255	260/255
Max material thickness when planing	mm	155	155
Max chip width jointer/planer	mm	3/3	3/3
Feed speed	m/min	5	5
Cutter diameter	mm	63	63
Number of planing bis		2	2
Cutter speed	rpm	6500	6500
Motor voltage	V	230 1 phase 50Hz	400 3 phase 50Hz
Motor output	kW	2.0	2.2
Weight	kg	66	66
Price		£655.00	£650.00
Wheel frame		205560303	
Price		£35.00	





Planing



NEW

Luna

Combined planer and thicknesser

Planer and thicknesser with long, cast iron jointer table. The machine has a heavy duty stop that can be tilted 45°. Both the tables open at the same time for setting between thickness and smooth planing. Handles for quick adjustment of the infeed and outfeed table. Feed rollers can be disengaged. Supplied with three HSS planing bits, precision stop, cutter guard, 100 mm extractor sleeve and switch with zero voltage tripping. For suitable planing bits - see 209130517 or 209133115 for 210980108 209130855 or 209133453 for 208410100 209131416 or 209134014 for 210980207

Stock no	210980108	208410100	210980207
Table length, thicknesser	mm 1120	1400	1660
Table length, planer	mm 540	540	850
Table height	mm 850	850	850
Planing width smoothing/thickness	mm 260	310	410
Max material thickness when thickness planing	mm 225	225	407
Max chip thickness jointer/planer	mm ¼.5	¼.5	¼.5
Feed speed	m/min 5.5	7	7
Cutter diameter	mm 70	70	70
Number of planing bits	3	3	3
Planing bits L x W x T	mm 260 x 25 x 3	310 x 25 x 3	410 x 25 x 3
Cutter speed	rpm 5500	5300	5500
Motor voltage	V 400 3 phase 50Hz	400 3 phase 50Hz	400 3 phase 50Hz
Motor output	kW 1.7	2.2	3.0
Weight	kg 170	250	315
Price	£1585.00	£1950.00	£2595.00
Wheel frame	208410506		
	£110.00		
Digital thickness gauge	208410605		
Price	£72.50		

Combined Planer and thicknesser

Support in sheet metal. Cast iron smoothing and planing table. Cutter with 3 planing bits. Jointer. Adjustable feeder table, max 5 mm cutting depth. Alu-section stop - can be angled up to 45°. Long table with slotted table lips and integrated extractor hood/extractor sleeve. Extendable when planing.

Planer. Long planing table, suspended via a strong central column. Adjustable for different thickness using a handwheel. Integrated kickback bar and chip thickness limitation. Automatic feed - can be disconnected for smooth planing.

Supplied complete with all electrical equipment and tool set. The planer is ready for connection to an extractor.

Suitable planing knives - see 209130459 or 209133057 for 128949252 209130905 or 209133503 for 128949260



NEW

Stock no	128949252	128946019
Table length, jointer	mm 1085	1520
Table length, planer	mm 600	750
Planing width	mm 250	310
Max thickness when planing	mm 180	220
Max chip thickness jointer/planer	mm 5/2.5	5/5
Feed speed	m/min 6.2	8
Cutter diameter	mm 75	95
Number of planing bits	3	4
Cutter speed	rpm 3750	3700
Table height	mm 820	850
Motor voltage	V 230 1 phase 50Hz	230 1 phase 50Hz
Motor output	kW 2.0	1.85
Weight	kg 150	260
Price	£810.00	£1160.00



Planer knives

High speed steel for direct fitting to stationary planes.

**NEW**

Stock No.	Length mm	Width mm	Thickness mm	Quantity steel/set	Price
209130103	155	16	3.0	2	£45.00
209130202	180	20	2.5	2	£30.00
209130301	210	19	3.0	3	£45.00
209130400	250	25	3.0	3	£40.00
209130459	250	30	3.0	3	£50.00
209130509	260	25	3.0	2	£50.00
209130517	260	25	3.0	3	£50.00
209131002	260	30	3.0	3	£60.00
209130608	300	25	3.0	2	£60.00
209130707	300	25	3.0	3	£70.00
209130806	300	30	3.0	3	£70.00
209130855	310	25	3.0	3	£55.00
209130905	310	30	3.0	4	£115.00
209131101	310	30	3.0	2	£50.00
209131200	310	30	3.0	3	£70.00
209131309	350	30	3.0	3	£80.00
209131408	400	30	3.0	3	£95.00
209131416	410	25	3.0	3	£75.00
209131507	410	30	3.0	3	£95.00
209131606	410	30	3.0	2	£65.00
209131705	410	30	3.0	4	£125.00
209131804	410	30	3.0	4	£90.00
209131903	410	35	3.0	4	£125.00
209132000	500	35	3.0	4	£155.00
209132109	515	30	3.0	4	£160.00
209132208	520	35	3.0	4	£160.00
209132307	530	30	3.0	4	£165.00
209132406	530	35	3.0	4	£165.00
209132502	630	30	3.0	4	£185.00
209132604	630	35	3.0	4	£195.00

High speed hard metal plane steel for direct fitting to stationary planes.



Stock No.	Length mm	Width mm	Thickness mm	Quantity steel/set	Price
209132703	155	16	3.0	2	£150.00
209132802	180	20	2.5	2	£135.00
209132901	210	19	3.0	3	£235.00
209133008	250	25	3.0	2	£150.00
209133057	250	30	3.0	3	£190.00
209133107	260	25	3.0	2	£300.00
209133115	260	25	3.0	3	£185.00
209133602	260	30	3.0	3	£235.00
209133206	300	25	3.0	2	£305.00
209133305	300	25	3.0	3	£270.00
209133404	300	30	3.0	3	£270.00
209133453	310	25	3.0	3	£235.00
209133503	310	30	3.0	4	£365.00
209133701	310	30	3.0	2	£280.00
209133800	310	30	3.0	3	£490.00
209133909	350	30	3.0	3	£315.00
209134006	400	30	3.0	3	£365.00
209134014	410	25	3.0	3	£295.00
209134105	410	30	3.0	3	£375.00
209134204	410	30	3.0	2	£245.00
209134303	410	30	3.0	4	£495.00
209134402	410	30	3.0	4	£375.00
209134501	410	35	3.0	4	£495.00
209134600	500	35	3.0	4	£605.00
209134709	515	30	3.0	4	£625.00
209134808	520	35	3.0	4	£630.00
209134907	530	30	3.0	4	£640.00
209135003	530	35	3.0	4	£640.00
209135102	630	30	3.0	4	£760.00
209135201	630	35	3.0	4	£760.00

NEW



Planing



NEW

Reversible planing bits
Suitable for stationary plane machines. Alloyed tool steel



Stock No.	Length mm	Price
201620101	160	£19.90
205560709	260	£32.40
201620507	260	£125.90
201620606	300	£132.60
209110105	280	£8.50

Planing bits

Suitable for stationary plane machines. High speed steel.



Stock No.	Length mm	Price
201620200	160	£47.00
201620804	280	£69.00

Router table

Bench model. Used together with portable routing machine or compass saws. Made of heavy duty steel. Fits the most commonly used models. Supplied with two adjustable fences incl. holding down and side holder. Extraction nozzle 60 mm Ø, zero trip - protection class IP 54 and fixture screws. Floor stand. Used together with table BRT 600. Adjustable for two different working heights.

Mounting plate (2) tightening the portable router to the table.

NEW



Stock no	208950105
Table top dimensions	mm 650 x 500
Height	mm 350
Weight	kg 14
Price	£190.00

Adaptor for compass saw	208950204
Price	£41.10

Floor stand	208950303
Price	£84.00

Mounting plate, large	208950402
Price	£7.70